Lighting

Mississippi Power customers can take advantage of our Large Commercial & Industrial Program. This program is designed to help all commercial customers reduce operating costs, lower environmental impacts and improve their bottom line.



Maximum rebate for the combination of lighting, lighting controls, heating and cooling, kitchen equipment and refrigeration upgrades is \$30,000 per customer per year.

LIGHTING

MEASURE DESCRIPTION	REBATE/UNIT	REQUIREMENTS
LED Décor/Candelabra Screw-In	\$2/Lamp	INSTALLATION OF TYPE, PAR, MR, BR, R, G OR B INTEGRAL SCREW-IN LAMPS: Lamps must be installed in hard-wired, wall or ceiling-mounted fixtures Lamps installed in portable fixtures are not eligible for rebates Equipment is listed on the ENERGY STAR or DLC QPL Minimum operation time is 1,000 hours annually
TLED Type A	\$3/Lamp	 INSTALLATION OF TYPE-A BASE BULBS: Lamps must be installed in hard-wired, wall- or ceiling mounted fixtures Lamps installed in portable fixtures are not eligible for rebates Equipment is listed on the ENERGY STARR or Design Lights Consortium (DLC) Minimum operation time is 1,000 hours annually
TLED Type C	\$15/Lamp 2 lamp maximum	 INSTALLATION OF T8, T5, T5 HO, OR U-BEND LED BULBS: Replacement of fluorescent lamps with LED linear tube replacements (TLEDs) TLED rebates are for the retrofit of existing fixtures only TLED rebate is the same, regardless of length or size Equipment is listed on the DLC QPL Minimum operation time is 1,000 hours annually
LED 2'x 4' Troffer Fixture	\$25/Fixture	INSTALLATION OF RETROFIT LED TROFFER, PANELS OR SIMILAR INTEGRATED LUMINAIRES IN EXISTING FIXTURES: Integrated LED retrofit kits only Linear retrofit kits are NOT eligible Equipment is listed on the DLC QPL Minimum operation time is 1,000 hours annually

LIGHTING

MEASURE DESCRIPTION	REBATE/UNIT	REQUIREMENTS
LED 2'x 2' Troffer Fixture	\$10/Fixture	INSTALLATION OF RETROFIT LED TROFFER, PANELS OR SIMILAR INTEGRATED LUMINAIRES IN EXISTING FIXTURES: Integrated LED retrofit kits only Linear retrofit kits are NOT eligible Equipment is listed on the DLC QPL Minimum operation time is 1,000 hours annually
LED Can, Track, Pendant	\$10/Fixture, Head or Downlight	INSTALLATION OF NEW RECESSED, SURFACE, PENDANT, DOWNLIGHT FIXTURE OR TRACK LUMINAIRES TO REPLACE INCANDESCENT, HALOGEN, LINEAR FLUORESCENT OR CFL LUMINAIRES: • Equipment is listed on the DLC QPL • Minimum operation time is 1,000 hours annually
LED Exit Signs	\$7/Fixture	INSTALLATION OF LED EXIT SIGNS TO REPLACE INCANDESCENT OR FLUORESCENT SOURCES: LED retrofit kits are NOT eligible Equipment is listed on the DLC QPL Minimum operation time is 1,000 hours annually
LED High Bay	\$100/Fixture >400W HID equiv	INSTALLATION OF LED HIGH/LOW BAY LUMINAIRES IN PLACE OF HID SOURCES OR EXISTING LINEAR FLUORESCENT HIGH/LOW BAY LUMINAIRES: • Equipment is listed on the DLC QPL
LED High Bay	\$60/Fixture 250W ≤ 400W HID equiv	 LED retrofit kits are NOT permitted Luminaires installed ≥ 15 ft. above finished floors Replacement of existing linear fluorescent fixtures is permitted, provided that minimum wattage reduction
LED High Bay	\$30/Fixture ≤250W HID equiv	requirements are met. The sum of the existing lamp wattage will determine which rebate is applicable. Minimum operation time is 1,000 hours annually Installation of on-board occupancy sensors qualifies for additional rebate
LED Wall Pack	\$30/Fixture ≤75W	INSTALLATION OF LED LUMINAIRES IN PLACE OF HID SOURCES: • Exterior fixtures require a functioning time clock or photocell to qualify for lighting incentives • LED retrofit kits are NOT permitted • Equipment is listed on the DLC QPL • Minimum operation time is 1,000 hours annually • Lumen output determines final rebate
LED Wall Pack	\$50/Fixture >75W	

LIGHTING

MEASURE DESCRIPTION	REBATE/UNIT	REQUIREMENTS
Parking Garage LED Light	\$40/Fixture ≤150W	INSTALLATION OF PARKING DECK LUMINAIRES TO REPLACE HID, FLUORESCENT OR INCANDESCENT LUMINAIRES: LED retrofit kits are NOT permitted Equipment is listed on the DLC qualified product list Minimum operation time is 1,000 hours annually
Parking Garage LED Light	\$75/Fixture >150W	

LIGHTING CONTROLS

MEASURE DESCRIPTION	REBATE/UNIT	REQUIREMENTS
Lighting Occupancy Sensor (Wall or Fixture Mounted)	\$10/Control	INSTALLATION OF A NEW OCCUPANCY CONTROL IN PLACE OF A MANUAL WALL SWITCH:
		 Hardwired wall switch occupancy control; passive infrared, ultrasonic or dual technology
		· Space must have 1,000 hours of occupancy
		 Fixture mounted sensors may be furnished as new equipment by fixture manufacturer or installed on existing fixture(s) as a retrofit measure
Daylight Sensor	\$25/Control	INSTALLATION OF A NEW OCCUPANCY CONTROL IN PLACE OF A MANUAL WALL SWITCH:
		 Hardwired wall switch occupancy control; passive infrared, ultrasonic or dual technology
		· Space must have 1,000 hours of occupancy
		 Fixture mounted sensors may be furnished as new equipment by fixture manufacturer or installed on existing fixture(s) as a retrofit measure